# Tobacco Use Reduction in PLWH Pilot Project

**MDHHS Tobacco Section** 

#### HIV Client Assessment Survey

#### **Objective:**

The purposes of this study are to:

- Determine the current cigarette smoking prevalence and pattern among PLWH in Michigan.
- Assess any change in knowledge, beliefs, behavior and barriers around smoking and tobacco use among PLWH.
- Study some demographic and socioeconomic factors among PLWH related to tobacco use.
- Assess quitting behavior and the level of readiness to use tobacco dependence treatment available in organizations serving PLWH.


### HIV Client Assessment Survey

- MDHHS-IRB approved the survey-study
- To increase participation rates, we used all methods below:
- i. Hard copy to be given to all clients visiting the ASO's for any reason
- ii. Online link to survey Monkey
- iii. Phone interview for those in remote areas or whom prefer the phone interviews. (we provided instructions for phone survey)
- iv. Mailed survey, (with a return self-addressed and stamped envelope provided)
- Survey opened for 3 months (06/01 08/31/2017)
- Total of 1,485 clients had participated in this survey

#### HIV Client Assessment Survey Results – Gender Identity


Characteristics	2015 study %	2017 study %	Statewide prevalence 2017
Total sample	1,478	1,485	15,629
Gender Identity			
Male	74%	77%	78%
Female	25%	22%	21%
Transgender	1%	1%	1%

### Smoking Status Percentages Among the PLWH in 2017 compared with 2015




<sup>\*</sup> Difference is statistically significant at P< 0.05


#### Percentages of Using Chewing Tobacco Currently Among PLWH in 2017 Compared to 2015




Percentages of Current Smoking within each Age Group Among PLWH in 2017




#### Percentages of Current Smoking within each Sexual Orientation Group Among PLWH in 2017 Compared to 2015




#### Percentages of Current Smoking within each Gender Identity Group Among PLWH in 2017 Compared to 2015



#### Percentages of Current Smoking within each Educational Level Group Among PLWH in 2017 Compared to 2015




Percentages of Current Smoking within each Racial Group Among PLWH in 2017 Compared to 2015




<sup>\*</sup> Difference is statistically significant at P < 0.05

Percentages of Current Smoking within each Employment Category Among PLWH in 2017 Compared to 2015




<sup>\*</sup> Differences are statistically significant at P < 0.05


# Percentages of Current Smoking within each Insurance Status Group Among PLWH in 2017 Compared to 2015




Percentages of those Who have Correct Answers by Their Smoking Status Among PLWH in 2017 Compared to 2015




#### Percentages of PLWH who are Concerned About their Smoking in 2017 Compared to 2015




#### Percentages of PLWH Smokers Who are Living with other Smokers in 2017 Compared to 2015




### Percentages of Quit Attempts by Smokers Among PLWH for one day or longer during the past 12 months in 2017 Compared to 2015




#### Percentages of PLWH Smokers Who are Aware about the MI Tobacco Quitline in 2017 Compared to 2015




### Percentages of Quit Methods Used by PLWH Smokes in 2017 Compared to 2015



Percentages of PLWH Smokers Who Have Used Nicotine Replacement Therapy or other Medications when they tried to Quit Tobacco Use in 2017 compared to 2015



Percentages of PLWH Whom were Offered Tobacco Dependence Treatment by their Case Managers to Quit Tobacco Use in 2017



Q & A

